




# BEC BRITTAIN



Shorter Stem Lengths - up to 36 inch / 92 cm overall



Longer Stem Lengths - over 38 inch / 97 cm

## Unfurl Pendant 1

### *Lead Time*

14 - 16 weeks

### *Dimensions*

Indicated in drawings above

### *Weight*

7 lb / 3.2 kg

### *LED Illumination*

24 VDC LED  
3000 Kelvin

### *Electrical*

Wattage: 9 Watts  
Lumens: 1440 Lumens  
110 - 277 VAC input

### *Installation - Standard*

Locally mounted driver  
ELV, Triac and 0-10V Dimming  
Canopy: 5 x 0.25 inch (127 x 6 mm) round  
in matching metal finish

### *Installation - Alternate*

Remotely mounted driver  
ELV, Triac and 0-10V Dimming  
Canopy: 5 x 0.25 inch (127 x 6 mm) round  
in matching metal finish

Please inquire for detailed electrical specs

### *Suspension*

1/8 IP all-thread stem clad in brass tubing  
with matching metal finish up to 35 inch /  
890 mm length included with fixture.  
Length up to 95 inches / 2415 mm available  
for additional cost.

### *Materials*

Finished Brass  
Glass

### *Standard Finishes*

Brushed Brass  
Oil-Rubbed Bronze  
Satin Nickel  
Nickel Brass Contrast


### *Special Order Finishes*

Polished Brass  
Medium Antique Brass  
Polished Nickel  
Dark Pewter  
Polished Black Nickel  
Polished Copper  
Smoky Copper

### *Glass Finishes*

White, Celadon, Peach,  
Iridescent Sienna

# BEC BRITAIN



## Unfurl Pendant 2

### *Lead Time*

14 - 16 weeks

### *Dimensions*

Indicated in drawings above

### *Weight*

7 lb / 3.2 kg

### *LED Illumination*

24 VDC LED  
3000 Kelvin

### *Electrical*

Wattage: 9 Watts  
Lumens: 1440 Lumens  
110 - 277 VAC

### *Installation - Standard*

Locally mounted driver  
ELV, Triac and 0-10V Dimming  
Canopy: 5 x 0.25 inch (127 x 6 mm) round  
in matching metal finish

### *Installation - Alternate*

Remotely mounted driver  
ELV, Triac and 0-10V Dimming  
Canopy: 5 x 0.25 inch (127 x 6 mm) round  
in matching metal finish

Please inquire for detailed electrical specs

### *Suspension*

1/8 IP all-thread stem clad in brass tubing  
with matching metal finish up to 35 inch /  
890 mm length included with fixture.  
Length up to 95 inches / 2415 mm available  
for additional cost.

### *Materials*

Finished Brass  
Glass

### *Standard Finishes*

Brushed Brass  
Oil-Rubbed Bronze  
Satin Nickel  
Nickel Brass Contrast


### *Special Order Finishes*

Polished Brass  
Medium Antique Brass  
Polished Nickel  
Dark Pewter  
Polished Black Nickel  
Polished Copper  
Smoky Copper

### *Glass Finishes*

White, Celadon, Peach,  
Iridescent Sienna

# BE C BRITTAIN



## Unfurl Pendant 3

### *Lead Time*

14 - 16 weeks

### *Dimensions*

Indicated in drawings above

### *Weight*

7 lb / 3.2 kg

### *LED Illumination*

24 VDC LED  
3000 Kelvin

### *Electrical*

Wattage: 7.5 Watts  
Lumens: 1200 Lumens  
110 - 277 VAC

### *Installation - Standard*

Locally mounted driver  
ELV, Triac and 0-10V Dimming  
Canopy: 5 x 0.25 inch (127 x 6 mm) round  
in matching metal finish

### *Installation - Alternate*

Remotely mounted driver  
ELV, Triac and 0-10V Dimming  
Canopy: 5 x 0.25 inch (127 x 6 mm) round  
in matching metal finish

Please inquire for detailed electrical specs

### *Suspension*

1/8 IP all-thread stem clad in brass tubing  
with matching metal finish up to 35 inch /  
890 mm length included with fixture.  
Length up to 95 inches / 2415 mm available  
for additional cost.

### *Materials*

Finished Brass  
Glass

### *Standard Finishes*

Brushed Brass  
Oil-Rubbed Bronze  
Satin Nickel  
Nickel Brass Contrast

### *Special Order Finishes*

Polished Brass  
Medium Antique Brass  
Polished Nickel  
Dark Pewter  
Polished Black Nickel  
Polished Copper  
Smoky Copper

### *Glass Finishes*

White, Celadon, Peach,  
Iridescent Sienna