



Ecco Surface Mount, Large




Technical Specifications	Materials	Glass, Wood, Steel
	Product weight	21 lbs
	Lead time	12 weeks
	Integrated LED	16,335 lm / 2700 K / 185 W / 92+ CRI
	Input Voltage	120 V, 240 V or 277
	Dimmer	TRIAC, ELV or 0-10 V
	Certifications	UL, ETL listed, damp-rated, ADA compliant


- Notes
1. This fixture can be installed on a wall or ceiling.
 2. This fixture can be installed vertically or horizontally.
 3. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support.
 4. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
 5. Dimensions may vary within half an inch.
 6. The LED lifetime is 50,000 hours.
 7. The driver is included with the fixture is installed remotely.
 8. This fixture is designed so the LED board can be replaced when it reaches its lifetime.
 9. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.

Updated April 29, 2025


Front View




Side View




Top View




Isometric View




Front View




Powder



Vertical Stripe



Horizontal Stripe



Basketweave

Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.


Powder Glass



Cirrus



Moss



Umber




Plum


Striped Glass



Vellum



Zinnia



Marigold



Garnet

Wood



Oak



Leopardwood



Darkened Leopardwood