

# Mira Surface Mount, Small



Technical Specifications	Materials	Glass, Wood, Steel
	Product weight	2 lbs
	Lead time	12 weeks
	Integrated LED	1,200 lm / 1800K -3000K / 12 W / 98 CRI
	Input Voltage	120 V, 240 V or 277 V
	Dimmer	TRIAC, ELV or 0–10 V
	Certifications	UL, ETL listed, damp-rated, ADA compliant CUUs DAMP ADA


Notes


- 1. This fixture can be installed on a wall or ceiling.
- This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
- 3. Dimensions may vary within half an inch.
- 4. The LED lifetime is 50,000 hours.
- The driver is included with the fixture and can be installed inside of the J-box or remotely.
- 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime.
- This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.


Updated


April 29, 2025

In Common With Mira Surface Mount, Small incommon with.com











Front View Solid Powder Stripe

# Solid Glass



### **Powder Glass**



# Striped Glass



In Common With Mira Surface Mount, Small incommon with.com

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

# Wood







Oak

Leopardwood

Darkened Leopardwood

In Common With Mira Surface Mount, Small incommon with.com