



Murano Glass Cosmos Chandelier



Technical Specifications

Materials	Aluminium, Glass
Product weight	8 lbs
Lead time	8 weeks
Integrated LED	1,635 lm / 1800 K-3000 K / 18.6 W / 95+ CRI / warm on dim
Input Voltage	120 V, 240 V, or 277 V
Dimmer	TRIAC, ELV, or 0-10V
Certifications	cULus listed, cETLus listed, damp-rated




Notes

1. This fixture can be installed on a vaulted or sloped ceiling.
2. The LED lifetime is 50,000 hours.
3. The driver, (class 2 power unit) is included with the fixture and can be installed inside of the J-box with a minimum depth of 1 1/2" or remotely.
4. This fixture is designed so the LED board can be replaced when it reaches its lifetime.
5. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.


Updated

April 10, 2026


Front View



Bottom View



Isometric View



Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Murano Hand Blown Glass



Goto Bianco



Daisy



Chamomile



Aster

Brass



Brass



Patina Brass



Blackened Brass



Pewter



Polished Nickel