








Strata Surface Mount, Small




Technical Specifications	Materials	Glass, Brass-plated steel
	Product weight	2.5 lbs
	Lead time	12 weeks
	Integrated LED	878 lm / 2700K / 15 W / 92+ CRI
	Input Voltage	120 V, 240 V or 277 V
	Dimmer	TRIAC, ELV or 0-10 V
	Certifications	UL, ETL listed, damp-rated, ADA compliant
		   
Notes	1. This fixture can be installed on a wall or ceiling.	
	2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.	
	3. Dimensions may vary within half an inch.	
	4. The LED lifetime is 50,000 hours.	
	5. The driver is included within the fixture.	
	6. This fixture is designed so the LED board can be replaced when it reaches its lifetime.	
	7. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.	
Updated	April 29, 2025	


Front View




Side View



Front View: Ceiling Installation



Isometric View



Strata Surface Mount, Small, Plug-in







Technical Specifications	Materials	Glass, Brass-plated steel
	Product weight	2.5 lbs
	Lead time	12 weeks
	Integrated LED	878 lm / 2700K / 15 W / 92+ CRI
	Input Voltage	120 V
	Dimmer	Integrated dimmer switch
	Certifications	UL, ETL listed




Notes	<ol style="list-style-type: none">1. This fixture comes with a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.3. Dimensions may vary within half an inch.4. The LED lifetime is 50,000 hours.5. The driver is included within the fixture.6. This fixture is designed so the LED board can be replaced when it reaches its lifetime.
-------	---


Updated	April 29, 2025
---------	----------------




Front View




Solid




Powder




Stripe



Patchwork



Bond



Mosaic

Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at [incommonwith.com/finishes](https://www.incommonwith.com/finishes).


Solid Glass




Almond



Olive



Pecan



Cherry


Powder Glass



Cirrus



Moss



Umber



Plum

Striped Glass



Vellum



Zinnia



Marigold



Garnet


Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.


Patterned Glass



Alba



Algae



Harvest



Canyon

Brass



Brass



Patina Brass



Blackened Brass



Pewter