




Altostratus Surface Mount




APPEARANCE

| | |
|-----------|-----------------------------|
| Materials | Textile, natural ash, brass |
| Finishes | See Material Options page |
| Customize | Textiles, Frame sizing |

TECHNICAL

| | |
|---------------|---|
| Socket / Lamp | E26/ E27 base, G16.5/ A15 bulb |
| Watt / Volt | Recommended up to 25w; up to 300v |
| Lamp detail | variable, 1200 lumens, 2700 kelvin, 50000 hours |
| Dimmer | ELV or 0-10V |
| Certification | UL certified |
| Weight | 7 lbs. |

Altostratus Surface Mount



REC. USE / SPACES

Ambient/accent lighting
Dining table
Living room
Stairwell
Entrance
Lobby

PREPARE FOR INSTALL

This is a line voltage fixture compatible with all dimming types. Direct wire to suitable supply lines.

A single junction box is required located according to installation instructions.



BULB

Included

E26/ E27 socket
with A15 bulb
up to 300v
12 Watts



COLOR TEMP

2700K



LUMENS SCALE

1200lm
*this is a diffused
fixture with a soft
warm ambient glow




DIMMING

ELV or 0-10V

OTHER NOTES

Electronic wall
dimmer required

Altostratus Surface Mount



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE & CANOPY



Brushed
Brass

TEXTILES



Asami



Twinx



Crushed
Silk